



Premises Management Policy

Date Published	February 2020
Version	5
Approved Date	May 2023
Review Cycle	Annual
Review Date	March 2024

An academy within:



“Learning together, to be the best we can be”



1. Aims

1.1 Pennine View Our school aims to ensure that it:

- Manages its buildings and equipment in an efficient, legally compliant way
- Inspects and tests buildings and equipment regularly, taking into account statutory requirements and best practice recommendations
- Promotes the safety and wellbeing of our staff, pupils, parents and visitors through effective maintenance of buildings and equipment in accordance with the Health and Safety at Work etc. Act 1974
- Complies with the requirements of the Education (Independent School Standards) (England) Regulations 2014, as amended

2. Guidance

2.1 This document is based on the [Compliance Monitoring in Council Buildings report](#) from the Federation of Property Societies, which provides an overview of the legislation and compliance requirements related to premises management in schools. It is also based on the Education and Skills Funding Agency's [Essential School Maintenance guidance](#) for schools.

2.2 This policy complies with our funding agreement and articles of association.

3. Roles and responsibilities

3.1 The Trust the Headteacher and the Site Manager will ensure this premises management policy is properly implemented, and that tests and inspections are carried out in accordance with this policy.

3.2 The Headteacher and Site Manager are responsible for ensuring relevant risk assessments are conducted and for reporting to the Trust, as required.

3.3 The site manager is responsible for:

3.3.1 Inspecting and maintaining the school premises

3.3.2 Conducting repairs and maintenance

3.3.3 Being the first point of contact for any issues with the premises

3.3.4 Conducting and keeping a record of risk assessments and incident logs related to the school premises



- 3.4 Liaising with the Headteacher about what actions need to be taken to keep the school premises safe
- 3.5 This list is not intended to be exhaustive

4. Inspection & Testing

- 4.1 The school maintains accurate records and details of all statutory tests which are undertaken. This includes relevant paperwork and certificates.
- 4.2 All requirements and recommendations highlighted in inspection reports and certificates are reviewed and acted on as necessary.
- 4.3 As part of the records of completed works, the school includes the dates when the works were undertaken and the details of the individual or company who completed them, along with their qualifications/certifications and/or experience.
- 4.4 The table below sets out the issues to inspect, the inspection frequency and the person responsible for checking each issue and, where appropriate, engaging a suitably qualified person to carry out inspection, testing or maintenance. It covers statutory checks as well as recommended good practice checks from relevant guidance.

Issue to inspect	Frequency	Person responsible
Air conditioning systems and duct hygiene	Both are inspected once every 6 months (the air conditioning system must be inspected by an energy assessor at least once every 5 years). There is also an annual certificated inspection to ensure there is no leakage of refrigerant.	Site Manager/Office Manager
Asbestos register	A risk assessment takes place annually and when any changes to the building take place.	Site Manager/Office Manager



Issue to inspect	Frequency	Person responsible
	The asbestos register is updated accordingly.	
Electrical testing and inspection	<p>A PAT exercise takes place annually.</p> <p>The schematic of the supply route and primary distribution is updated annually.</p> <p>Fixed wiring and all distribution boards and safety devices are inspected annually. All fixed wiring and all distribution boards are tested at least once every 5 years.</p> <p>Testing of all distribution boards in mobile accommodation is conducted on an annual basis.</p>	Site Manager/Office Manager
Extraction systems	<p>Dust extraction equipment is tested and inspected on an annual basis.</p> <p>Local exhaust ventilation is inspected every 14 months.</p>	Site Manager/Office Manager
Fire safety	<p>Our fire risk assessment is updated when any changes are made that might impact fire safety.</p> <p>Fire detection and alarm systems are tested weekly. All call points are tested over a</p>	Site Manager/Office Manager



Issue to inspect	Frequency	Person responsible
	<p>13-week cycle. Formal quarterly and annual inspections are completed by a competent person.</p> <p>Fire doors are inspected weekly.</p> <p>Fire extinguishers are inspected and maintained on an annual basis.</p> <p>Fire blankets are inspected annually and replaced as required.</p> <p>Facilities for the fire service, including dry risers, access for emergency vehicles, and emergency switches for installations, are maintained and tested annually.</p> <p>Lightning conductors are inspected and electrically tested on an annual basis by a competent person.</p>	
First aid equipment	First aid equipment is inspected every term. Any equipment which has passed its expiry date is replaced.	Medical Lead
Gas safety	Gas safety inspections are completed and certificates obtained as required by law (including annual test certificates for boilers). Gas	Site Manager/Office Manager



Issue to inspect	Frequency	Person responsible
	<p>appliances are identified and their location recorded on an annual basis.</p> <p>All gas appliances are serviced annually.</p> <p>A visual condition inspection (and testing if required) is conducted on gas pipework on an annual basis.</p>	
Lifts and hoists	Hoists receive a thorough examination, full maintenance and inspection at least once every 6 months. All hoists are also tested and inspected after any significant changes have been made.	Site Manager/Office Manager
Lighting systems	<p>Electrical stage lighting is inspected and tested annually by a competent person.</p> <p>Portable dimmer racks with no fixed cabling, plugs, sockets and flexible leads are inspected every 3 months and following every alteration.</p> <p>Emergency lighting systems are inspected and tested on a monthly basis by the Premises Manager. There is a 1 hour duration test once every 6 months, which includes a 3 hour battery test by a competent person. A full</p>	Site Manager/Office Manager



Issue to inspect	Frequency	Person responsible
	duration test takes place annually.	
Mobile accommodation	A structural inspection of any mobile accommodation is conducted on an annual basis.	Site Manager/Office Manager
Playground and gymnasium equipment (fixed)	Fixed playground and gymnasium equipment is inspected and tested annually.	Site Manager/Office Manager
Water hygiene and safety	<p>For cold water systems, the plan of primary pipework and main isolation points is updated annually. A visual condition and compliance inspection is undertaken on an annual basis, as is a tank condition and compliance inspection.</p> <p>For hot water systems, a visual condition inspection is conducted on an annual basis.</p> <p>Maintenance checks are also carried out on all pipework devices annually.</p> <p>Water quality checks, and water and surface temperature checks, are completed at a frequency to be determined by our water safety risk assessment.</p>	Site Manager/Office Manager



Issue to inspect	Frequency	Person responsible
Workstation assessments	Staff workstations are analysed to assess any health and safety risks whenever a new staff member is appointed, and also whenever a staff member is relocated to a different area or significant changes are made.	Site Manager/Office Manager
Working at height	Equipment used for working at height is inspected and tested on an annual basis.	Site Manager/Office Manager

5. Risk assessments and other checks

- 5.1 In addition to the risk assessments the school is required to have in place, we ensure we have risk assessments in place, regularly updated, to cover car parking and vehicle/pedestrian segregation.
- 5.2 The school also ensures further checks are made to confirm the following:
 - 5.2.1 Correct and up-to-date information is displayed on all notices;
 - 5.2.2 Compliance with the Construction (Design and Management) Regulations 2015 on letting of a construction project;
 - 5.2.3 Contractors have the necessary qualifications to carry out the specified work;
 - 5.2.4 Compliance with the Equality Act 2010 when making changes or alterations to a building or the external environment.